Main specification								
Product model and name		JDF5071TQZQ4 Wrecker truck						
Gross weight(Kg)		6900		Drive type		4X2	4X2	
Curb weight(Kg)		5505		Overall dimension(mm)		740	00X2300X2410,2600	
Approach/departure angle(°)		21/10		Cab seats		3	3	
Axle No.		2		Front/rear hang(mm)		111	1110/2475	
Axle load(Kg)		2350/4550		Wheelbase(mm)		3815		
Max speed(Km/h		95		_				
Chassis specification								
Chassis model	QL10909KARY		Manufacturer		Qingling Motor Co., Ltd			
Brand name	ISUZU		Dimension(mm)		6980x2170x2350			
Tyre specification	8.25-16-14PR		Tyre No.		6 and 1(for the spare)			
Steel spring number	8/10+6		Front track base(mm)		1680			
Fuel type	Diesel		Rear track base(mm)		1650			
Emission standard	Euro 4		Transmission		6 forward gear, 1reverse gear(ISUZU MLD)			
Cab	Cab color: white red or other colors as your request. Single row, Luxurious interior trim with seats, Power steering with air condition.							
Engine model	Engine manufacturer				Displacen	nent(ml)	Power(Kw)	
4HK1-TCG40	Qingling ISUZU Engine Co.,			,Ltd	5193		139(190HP)	
Performance								
Flat length(mm) 5		5600		Flat width(mm)			2300	
Max flat carrying 5 weight(Ton)		5	N		Max lift weight(Ton)		3	
Vehicle accessories								
Training wheels, Steel wire rope, bandage, Alarm lamp, Tyre Covers, Jack, spare tyre ,drivers' tools								

## Japan ISUZU 5TON Tow Truck Image









