Technical Specification

Main specification									
Product model and r	CSC5070TQZWP Wrecker truck								
Gross weight(Kg)		7300		Drive type			4X2		
Curb weight(Kg)		4370		Overall dimension(mm)		7	7300×2300×2460		
Approach/departure angle(°)		24/14		Cab seats		2	2		
Axle No.		2		Front/rear hang(mm)		n) 1	1015/2470		
Axle load(Kg)		2580/4720		Wheelbase(mm)		3	3815		
Max speed(Km/h		105							
Chassis specification									
Chassis model	QL10704	A1KAY	Ma	nufactur	er	Qingling Motor Co., Ltd			
Brand name	ISUZU		Din	Dimension(mm)		6645×1880×2160			
Tyre specification	7.00-16 14PR		Tyre No.		6 and 1(for the spare)				
Steel spring number	8/10+6		Front track base(mm)		1504				
Fuel type	Diesel		Rea	Rear track base(mm)		1425			
Emission standard	Euro 4		Transmission		5 forward gear, 1reverse gear(ISUZU MLD)				
Cab	Cab color: white red or other colors as your request. Single row, Luxurious interior trim with seats,Power steering with air condition.								
Engine model	Engine manufacturer				Displacem	isplacement(ml)		ower(Kw)	
4KH1-TCG40	Qingling ISUZU Engine			o.,Ltd	2999		88	8(120HP)	
Performance									
Flat length(mm)		5600		Flat width(mm)			23	800	
Max flat carrying weight(Ton)		4		Max lift weight(Ton)		3	3		
Vehicle accessories									
Training wheels, Steel wire rope,bandage,Alarm lamp, Tyre Covers,Jack, spare tyre ,drivers' tools									

Japan ISUZU 4x2 600P 5ton wrecker tow truck

Wrecker Tow Truck Image





Whatsapp & Telephone: +86-18607222773 Email:brenda@clclwtruck.com

2



