Main specific	ation								
Product model	JDF5071TQZQ4 Wrecker truck								
Gross weight(Kg)		<u> </u>		Drive type			4X2		
Curb weight(Kg)		5505		Overall dimension(mm)			7400X2300X2410,2600		
Approach/departure angle(°)		21/10	С	Cab seats			3		
Axle No.		2		Front/rear hang(m		ım)	1110/2475		
Axle load(Kg)		2350/4550		Wheelbase(mm)			3815		
Max speed(Km/h)		95							
Chassis speci	fication								
Chassis model	QL10909KARY		Manufacturer		er	Qing	Qingling Motor Co., Ltd		
Brand name	ISUZU		Dimension(m		mm)	6980	80x2170x2350		
Tyre specification	8.25-16-14PR		Tyre No.			6 an	nd 1(for the spare)		
Steel spring number	8/10+6		Front track base(mm)		1680	680			
Fuel type	Diesel		Rear track base(mm)		1650	550			
Emission standard	Euro 4		Transmission		n		forward gear, 1reverse gear(ISUZU MLD)		
Cab	Cab color: white red or other colors as your request. Single row, Luxurious interior trim with seats,Power steering with air condition.								
Engine model	Engine m	Displace		Displacen	nent(ml)		Power(Kw)		
		SUZU Engi					<u>, , , , , , , , , , , , , , , , , , , </u>	139(190HP)	
Performance	1 3 3	<u> </u>		·				, ,	
Flat length(mm)		5600		Flat width(mm)			2300		
Max flat carrying weight(Ton)		5		Max lift weight(To		Γon)		3	
Vehicle accessories									
Training wheels, Steel wire rope, bandage, Alarm lamp, Tyre Covers,Jack, spare tyre ,drivers' tools									

Japanese ISUZU tow truck 5ton image













ABOUT US



Chengli Special Automobile Co., Ltd, which is appointed by the Development and Alteration Committee of China, is the biggest special purpose vehicle manufacturer in China.

We have been in this field for over 10 years, we have more than 300 types of special trucks, our workers are more than 1000 and factory is more than 690,000m2 .We have successfully exported our trucks to Ghana, Sudan, Nigeria, Tajikistan, Namibia, Burma, Korea, Iran, Iraq, Vietnam etc. many Africa & Asia countries more than 4000 trucks every year.

