☐Main specifications ☐				
Product model name	Truck With Crane			
Gross vehicle weight(kg)	15900	Drive type		4 X 2
Payload(kg)	7060	cab seats (man)		3
Curb weight(Kg)	8645	Overall dimension (mm) Box internal dimension(mm)		9000×2490×3750
Approach/departure angle (°)	23/12			5600×2294×550
Number of axles	2	Front/rear hang(mm)		1450/2450
Axle load(Kg)	5950/9950	Wheelbase(mm)		3950
Max speed(Km/h)	90			
☐Chassis specifications ☐				
Chassis model	EQ1168VFJ1	Brand name		Dongfeng
Manufacturer	Dongfeng Automobile Co,.Ltd			6
Approach/departure angle (°)	23/25	Tire specification	9	9.00-20
Steel spring number	9/10+8	Front track(mm)		1960
Fuel type	Diesel	Rear track(mm)		1860
Emission standard	Euro IV	Transmission	(6 forward gear, 1 reverse gear
Engine model	Engine manufacturer	Displacement(ml)	ı	Power(Kw)
ISB170 40	Dongfeng engine co, Ltd	5900		125
□Crane specification				
Crane model	SQS200	Crane brand	XCMG	
Type of Crane	Telescopic boom	Crane weight (kg)	3000	
Max lifting weight∏kg∏	8000	Max lift height[]m[]	13.5	
Working radius(m)	11.5	Operation method	High se	at operation / floor operation
Number of arms	4	Outrigger (pcs)	2/4	
[Functions]				

The truck consists of chassis, box, power take-off and crane, achieving cargo lifting and moving through hydraulic lifting and telescopic system. In general, H-type outrigger is equipped to realize its stability. To be further strengthened stability of the truck, rear outrigger also can be equipped if the customer require. The truck can $360\,^{\circ}$ continuously rotate.

New Condition Dongfeng 8000 kgs Knuckle Boom Crane Truck For Sale Product Image:











