

▣Main specifications▣

Product model▣name	SX1255TN564 Truck With Crane		
Gross vehicle weight(kg)	25000	Drive type	8x4
Curb weight(Kg)	13400,	cab seats (man)	3
Approach/departure angle (°)	18/11	Overall dimension (mm)	11711x2495x3530
Number of axles	3	Box internal dimension(mm)	8000x2294x550
Axle load(Kg)	7000/18000	Front/rear hang(mm)	1576/3160
Max speed(Km/h)	78	Wheelbase(mm)	5625+1350 mm

▣Chassis specifications▣

Chassis model	SX1255TN564	Brand name	SHACMAN
Manufacturer	Shaanxi automobile group co., LTD	Tires No.	10
Approach/departure angle (°)	18/11	Tire specification	12.00R20
Steel spring number	9/12	Front track(mm)	1939
Fuel type	Diesel	Rear track(mm)	1800/1800
Emission standard	Euro III	Transmission	9 gears
Cabin	Oron half tall cab, luxurious interior trim, seat, and sleeper. with power steering, air conditioning.		
Engine model	Engine manufacturer	Displacement(ml)	Power(Kw)
WP10.270E32	Weichai Power Company Limited	9726	199

▣Crane specification▣

Crane model	SQZ200, SQZ300	Crane brand	XCMG
Type of Crane	folding boom Crane	Crane weight (kg)	3477, 4130
Max lifting weight▣kg▣	10000, 12000	Max lift height▣m▣	13 , 13
Working radius(m)	9.75 , 9.78	Operation method	High seat control / Side control
Number of arms	4	Outrigger (pcs)	2 or 4

▣Functions▣

The truck consists of chassis, box, power take-off and crane, achieving cargo lifting and moving through hydraulic lifting and telescopic system. In general, H-type outrigger is equipped to realize its stability. To be further strengthened stability of the truck, rear outrigger also can be equipped if the customer require. The truck can 360 ° continuously rotate.

SHACMAN 10-16 ton Knuckle Folding Truck With Crane

Product Image:





Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



