

Main specification			
Product model and name	ZZ1087D3814D183 HOWO Wrecker truck		
Gross weight(Kg)	8280	Drive type	4X2
Curb weight(Kg)	5085	Overall dimension(mm)	7430X2300X2500
Approach/departure angle(°)	18/11	Cab seats	3
Axle No.	2	Front/rear hang(mm)	1160/2470
Axle load(Kg)	2870/5410	Wheelbase(mm)	3800
Max speed(Km/h)	90	Steering type	Left hand drive or right hand drive can be offered
Chassis specification			
Chassis model	ZZ1087D3814D183	Manufacturer	China SINOTRUK Group Jinan Commercial Vehicle Co.,Ltd
Brand name	SINOTRUK HOWO	Dimension(mm)	6810x2010x2350
Tyre specification	7.50R16LT	Tyre No.	6
Steel spring number	3/5+3	Front track base(mm)	1600
Fuel type	Diesel	Rear track base(mm)	1535
Emission standard	Euro 3	Transmission	5 forwarder gear,1 reverse gear(manual)
Cab	Any color as your request. single row, luxurious interior trim with seats.Cab can be tippable forwardly. And power steering with optional air condition.		
Engine model	Engine manufacturer	Displacement(ml)	Power(Kw)
CY4102-E3C (with turbo)	Dongfeng Chaoyang Chaochai Power Co.,Ltd	3856	91(125HP)
Performance			
Flat length(mm)	5600	Flat width(mm)	2300
Max flatbed carrying capacity(Kg)	4000	Max lift weight(Kg)	3000
Hydraulic parts	Imported		
Vehicle accessories			
Training wheels, Steel wire rope, Bandage, Alarm lamp, Tyre covers, Jack, Spare tyre, Drivers' tools			
Wrecker Truck Instruction			
The full name of wrecker truck is named road wrecker truck, also called trailer and road rescue truck. It has the powerful function and can carry two cars at the same time. It is the ideal choice for road management department and automobile repair plat to proceed to the road repair and rescue.			

SINOTRUK HOWO 4 ton Road Wrecker Truck Image as Follows



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@elclwtruck.com







Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com









01

BRACKET ARM

Can be completed at one one-time two failure car cleaning, high efficiency



Can implement a drag two function, bracket part can also realize the fault car consignment



02

OPERATION LEVER

Each side of the control handle can achieve full function operation



EASY TO OPERATE

The action of each part is controlled by the handle of the reversing valve

03

LIFT HYDRAULIC CYLINDER

lifting hydraulic cylinder make the flatbed moves down until the back side touches the ground



The auxiliary frame is raised to a certain tilt angle by the hydraulic cylinder of lifting mechanism during work.



Whatsapp&Telephone:+86-18607222773

04

BIGGER LOADING CAPACITY

Flatbed is made from Q235 steel press forming with high strength



Whatsapp&Telephone:+86-18607222773

05

FLATBED WRECKER TRUCK MOUNTED CRANE

Optional installations are available for your actual demand



AFTER-SALES SERVICE

Warranty

The guarantee period for all equipment /accessories is 12 months from Shipment date or 25000 km. Lifelong service is available.

SPARE PARTS

We provide spare parts to our customers with high quality , exact fitness and appropriate function . All spare parts will be delivered together with truck shipment .

INSTALLATION MAINTENANCE

Whatsapp&Telephone: +86-18607222773

We can provide installation service if necessary . After installation we can make a video to let you know the operation status .

TRAINING

We can offer training service according to customer's request , including product training , operation training , maintenance and technical training .

TECHNICAL ADVICE

If there is any technical problem , we can give solution to client in short time , if it can't be solved by client , our technician can fly to client's place to offer help .

SERVICE PROCESS



Whatsapp&Telephone: 0086-18607222773