Main Technical Para	meters 🔲		
Production name	DONGFENG Right Hand Drive Mobile food truck	GVW(kg)	4220
Rated weight(Kg)		Overall dimensions(mm)	5995 *2120 *3350
Curb weight(kg)	2225	Cabinet size(mm)	4200 *2000 *1950
Approach/departure angle(°)	19/15	F/R overhang(mm)	1032/1663
Number of axles	2	Wheel base(mm)	3300
Axle-load(Kg)	1800/2695	Max speed(Km/h)	95
Transmission	5 forward gears and 1reverse	Cab	Single row, Luxury interior and Instrument bar
Chassis Technical Pa	rameters 🔲	•	•
Chassis model	EQ1060TJ20D3	Number of tire	6+1
Brand	Dongfeng	Manufacturer	Dongfeng Automobile Company (DFAC)
F/R track base(mm)	1506/1466	Tire specification	7.00R16(High quality steel wire tire)
Fuel Type	Diesel	Emission standard	Euro II
Engine Technical Parameters □			
Engine model	D28D10-3D3	Displacement (ml)	2771
Engine manufacturer	Dongfeng light engine co., LTD	Max power(Kw)	75
Max Torque/ Speed (Nm/r/min)	345/1300~1500	Max Horsepower(hp)	102
Compression ratio	15.5	Minimum fuel Consumption (g/kw.h)	205

Standard configuration:

The internal and outside of the compartments is made of cold-rolled steel sheet material and the floor made of skidproof , waterproof and wear-resistant aluminum checkered plate; The top of the compartments is closed and can not open, but the left and right side and the back can be expanded and there is vending bar on both left and right side. The internal compartments is installed with LED vending floodlights or two columns spotlight (5pcs / column), top exhaust fan, megaphone, master switch, USB interface, large space locker; The outside of the compartments is installed two loudspeakers, 105A battery, 220V external power supply interface , 15m external power supply cord, telescopic truck pedal; different truck color and skin stickers are optional .

2017 fashionable DONGFENG mobile fast food truck for sale































