howo LED truck, mobile LED truck price, outdoor advertising LED truck

| Product model[name CLW5040XXCZ4 Mobile LED ==v 4 × 2 Total weight(Kg) 4495 Drive product 4 × 2 Gurb weight(Kg) 300 Order all mession (ma) 595 × 2030 × 3050 Wheelbase(man) 360 Cab seats (man) 395 × 2030 × 3050 Approach / departue 360 Cab seats (man) 3 Approach / departue 20/19 Kars perification 160/1475 Axe load 1900/2705 Max peel (Km/n) 9 - Chassis model Z1047C3414D145 Manue of axes 2 - Grand name 1000 Num or daxes 2 - - Tore specification 7.00R16 Tres N=0 160 ⁻¹ × Group Co., Ltd - Type of fuel 0.09816 Tres N=0 15 ⁻¹ × Group Co., Ltd - Toriving cab 100816 Tres N=1 6 - - MDW3984E4 Evor V Tres N=1 6 - - Screen Lift Pride Fav Car Co., Ltd. Wuiz Dielee = V 240 ⁻¹ × Group Co., Ltd - - - Screen Lift Heigh 1 <td< th=""><th>Main specification</th><th></th><th></th><th></th></td<> | Main specification | | | | |
|--|--------------------------------|---|---------------------------|------------------|--|
| Curb weight(Kg)4300Overall dimension (mm)S995×2030×3050Wheelbase(mm)3360Cab seats (man)3Approach / departure20/19Front/rear hang(mm)1160/1475Axle load1790/2705Max speed (Km/h)9Chassis specificationChassis specificationChassis specification7.00R16Manuber of axes2Tires specification7.00R16Tires No6Lead spring3/5+3,8/9+6,11/9+7,11/117Front track (mm)160-5Tires pecificationJosel and andeEuro IVTransmisso5 Forward GearTires No10DisplacementScore Size (ength x high)(mm)FAW Car Co., Ltd. Wuxi Diesel FAW Car Co., Ltd. Wuxi DieselName area (T)6.8Screen Size | Product model[]name | CLW5040XXCZ4 Mobile LED Truck | | | |
| Curb weight(Kg) 4300 (mm) 5995 × 20 30 × 30 50 Wheelbase(mm) 3360 Cab seats (man) 3 Approach / depature angle(°) 20/19 Front/rear hang(mm) 1160/1475 Axie load 1790/2705 Max speed (Km/h) 9 - Chassis specification 700/2705 Max speed (Km/h) 0 - Brand name 40W0 Number of axes 2 - Graspis specification 7.00R16 Trees No 605 - Leaf spring 3/5+3,8/9+6,11/9+7,11/117 Front track(mm) 1605 - Type of fuel Diesel Rear track(mm) 1520,1540 - Priving cab Euro IV Transmison Forward Gear - Driving cab Euser vard Gear - - - 4DW93-84E4 Factory 64 - - 4DW93-84E4 Sa40 x 1760 LED screen area ([]) 6.8 - Screen Lift Height [mn] 1- - - - - | Total weight(Kg) | 4495 | | 4 x 2 | |
| Approach / departure angle(°)20/19Front/rear hang(m)1160/1475Axle load1790/2705Max speed (Km/h)90Chassis specificationZZ1047C3414D145ManufacturerChina National Heavy Duty Truck G roup Co., LtdBrand nameHOWONumber of axes2Tire specification7.00R16Tires No.6Leaf spring3/5+3,8/9+6,11/9+7,11/11+7Front track(mm)1605Type of fuelDieselRear track(mm)1520,1540Emission standardEuro IVTransmison5 Forward GearDriving cabLuxury dashboard and seat wit constitoring.Power(KW)4DW93-84E4Fadorg254064Factory254064Screen size (length x high)(mm)1.5LED screen area ([])6.8Screen Lift Height (m)1.5LED screen area ([])10Screen Size (lamg)1.460Rear monochrome screen size (length x high)(mm)1280×1440RemarkSkiljahts, computers, stereos, areal, size: 3cover track frackility with fans, | Curb weight(Kg) | 4300 | | 5995×2030×3050 | |
| angle(°)20/19Pront/Pear hang(mn)1100/1473Axle load1790/2705Max speed(Km/h)90Chassis specificationChassis modelZZ1047C3414D145ManufacturerChina National Heavy Duty Truck G roup Co., LtdBrand nameHOWONumber of axes2Tire specification7.00R16Tires No.6Leaf spring3/5+3,8/9+6,11/9+7,11/11+7Front track(mm)1605Type of fuelDieselRear track(mm)1520,1540Emission standardEuro IVTransmission5 Forward GearDriving cabLuxury dashboard and seat witar conditioning.Power(KW)4DW93-84E4FAW Car Co., Ltd. Wuxi DieselDisplacement mark64Hobic LED truck specificationLED screen size (length x high)(mm)Screen Lift Height (m)1.5LED screen's pixel pitch (mm)10Roller Screen Size (mm)3840 x 1760Led side screen area ([])6.8Screen Lift Height (mm).5Rear monochrome screen size (length x high)(mm)1280×1440RemarkThere be equipped the Silent ge=rator. wooden floors, lighting, wentilation fans, skylights, computers, stereos, amplifers and other facilities with the body, and 220V external power connector outside time body.1280×1440 | · · · | 3360 | Cab seats (man) | 3 | |
| Chassis specificationChassis specificationZI047C3414D145ManufacturerChina National Heavy Duty Truck G roup Co., LtdBrand nameHOWONumber of axes2Tire specification7.00R16Tires No.6Leaf spring $3/5+3,8/9+6,11/9+7,11/11+7$ Front track(mm)1605Type of fuelDieselRear track(mm)1520,1540Emission standardEuro IVTransmission5 Forward GearDriving cabLuxury dashboard and seat with air conditioning.Power(KW)FAG Car Co., Ltd. Wuxi DieselDisplacement(ml)Power(KW)4DW93-84E4FAW Car Co., Ltd. Wuxi DieselEngine 254064Mobile LED truck specificationLED screen size (length x high)(mm)Screen Lift Height (m) 1.5 LED screen's pixel pitch (mm)10Roller Screen Size (mm) 3840×1160 Rear monochrome screen size (length x high)(mm) 1280×1440 RemarkThere be equipped the Silent generator, wooden floors, lighting, ventilation fans, skylights, computers, stereos, amplifiers and other facilities with whody, and 220V external power connector outside the body. 200×3000 mm[| | 20/19 | Front/rear hang(mm) | 1160/1475 | |
| Chassis modelZZ1047C3414D145ManufacturerChina National Heavy Duty Truck G roup Co., LtdBrand nameHOWONumber of axes2Tire specification7.00R16Tires No.6Leaf spring3/5+3,8/9+6,11/9+7,11/11+7Front track(mm)1605Type of fuelDieselRear track(mm)1520,1540Emission standardEuro IVTransmission5 Forward GearDriving cabLuxury dashboard and seat with air conditioning.Power(KW)4DW93-84E4FAW Car Co., Ltd. Wuxi Diesel Engine FactoryDisplacement []64Storeen size (length x high)(mm)Screen Lift Height [m) $3/40 \times 1760$ Led side screen area ([])6.8Screen Lift Height [mm) 1.5 LED screen's pixel pitch $[mm)$ 10Reall (RemarkStorey tedeo tedo ted | Axle load | 1790/2705 | Max speed(Km/h) | 90 | |
| Chassis model ZZ104/C3414D145 Manufacturer Truck G roup Co., Ltd Brand name HOWO Number of axes 2 Tire specification 7.00R16 Tires No. 6 Leaf spring 3/5+3,8/9+6,11/9+7,11/1+7 Front track(mm) 1605 Type of fuel Diesel Rear track(mm) 1520,1540 Emission standard Euro IV Transmission 5 Forward Gear Driving cab Luxury dashboard and seat with ir conditioning. 9 Power(KW) 4DW93-84E4 FAW Car Co., Ltd. Wuxi Diesel Displacement with recent with r | Chassis specification | | | | |
| Tire specification7.00R16Tires No6TendLeaf spring3/5+3,8/9+6,11/9+7,11/11 /Front $+ cm$ 160 /Type of fuelDieselRear $+ cm$ 152 /Emission standardEuro IVTrans5Driving cabEuro IVDisplacement/Power(KW)ADW93-84E4FAW Car Co., Ltd. Wuxi Diese $+ cm$ 254064Bobbe EUE EUE EUEStategram64Corrent SizeStategram64Screen sizeLED screen size10Roller Screen size $1 - cm$ $eeere + spisel pitch + spi$ | Chassis model | ZZ1047C3414D145 | Manufacturer | | |
| Leaf spring $3/5+3,8/9+6,11/9+7,11/11+7$ Front track (mm) 160 Type of fuelDieselRear track (mm) $152 \sqrt{540}$ Emission standardEuro IVTransmison $5 \sqrt{540}$ Driving cabLuxury dashboard and seat witar contromy.Power (KW)4DW93-84E4FAW Car Co., Ltd. Wuxi DieselDisplacement (mm) 64 Mobile LED truck sector $FAW Car Co., Ltd. Wuxi Diesel54 \sqrt{64}LED screen size(length x high)(mm)8\sqrt{1760}Led side screen area (mm)6.8Screen Lift Height(mm)1.5LED screen 's pixel pitch(mm)10^{\circ}Roller Screen Size(mm)8\sqrt{1460}Rear monchrome screem 's pixel pitchsize (length x high)(mm)1280\times1440Remark8\sqrt{1460}Rear monchrome screem 's pixel pitch (mm)size (length x high)(mm)1280\times1440OptionalCm choose the stage, its size: 300 \sqrt{500}500 \sqrt{500}$ | Brand name | HOWO | Number of axes | 2 | |
| Type of fuelDieselRear track (mm) 1520 , 1540 Emission standardEuro IVTransmission 5 Forward GearDriving cabLuxury dashboard and seat with air conditioning. Displacement (m)Power(KW) 4DW93-84E4 Fagine Manufacturer Factory Displacement (m)Power(KW) 4DW93-84E4FAW Car Co., Ltd. Wuxi Diesel Engine Factory 2540 64 Mobile LED truck sectory Led side screen area ([]) 6.8 Screen size (length x high)(mm) 1.5 LED screen 's pixel pitch (mm) 10 Screen Lift Height (mn) 1.5 LED screen's pixel pitch (mm) 1280×1440 Roller Screen Size (mm) 840×1460 Rear monochrome screen size (length x high)(mm) 1280×1440 RemarkThere be equipped the Silent generator, worden floors, light, computers, stereos, areal other facilities with the body, and 220V external power connector outside body. 100 OptionalCan choose the stage, its size: 300×300 100 | Tire specification | 7.00R16 | Tires No. | 6 | |
| Image: Section StandardEuro IVTransmission5 Forward GearDriving cabLuxury dashboard and seat with air conditioning.Displacement(ml)Power(KW)Engine modelEngine ManufacturerDisplacement(ml)Power(KW)4DW93-84E4Engine Manufacturer254064Mobile LED truck sourceEngine Sectory6.8Engine high (mm)3840 x 1760Led side screen area ([])6.8Screen Lift Height (mn)1.5LED screen's pixel pitch (mm)10Roller Screen Size (mm)3840 x 1460Rear monochrome screen size (length x high)(mm)1280×1440RemarkThere be equipped the Silent generator, wooden floors, lighting, computers, stereos, amplifiers and other facilities with the body, and 220V external power connector outside the body.OptionalCan choose the stage, its size: $360 \vee 3000 \text{mm}$ | Leaf spring | 3/5+3,8/9+6,11/9+7,11/11+7 | Front track(mm) | 1605 | |
| Driving cabLuxury dashboard and seat with air conditioning.Engine modelEngine ManufacturerDisplacement(m)Power(KW)4DW93-84E4 $FAW Car Co., Ltd. Wuxi Diesel EngineFactory254064Mobile LED truck specificationLed side screen area ([])6.8LED screen size(length x high)(mm)3840 x 1760Led side screen area ([])6.8Screen Lift Height[m)1.5LED screen's pixel pitchmm)10Roller Screen Size(mm)3840 \times 1460Rear monochrome screensize (length x high)(mm)1280 \times 1440RemarkThere be equipped the Silent generator, worden floors, lighting, computers, stereos, amplifiers and other facilities with the body, and 220Vexternal power connector outside the body.0OptionalCan choose the stage, its size: 360 \times 3000 mm[10$ | Type of fuel | Diesel | Rear track(mm) | 1520,1540 | |
| Engine modelEngine ManufacturerDisplacement(m)Power(KW)4DW93-84E4FAW Car Co., Ltd. Wuxi Diesel254064Mobile LED truck =EatoryLed sideSecreen area ([])6.8LED screen size (length x high)(mm)1.5LED screen 's pixel pitch (mm)10Screen Lift Height (m)1.5LED screen's pixel pitch (mm)10Roller Screen Size (mm)3840 × 1460Rear monochrome screen size (length x high)(mm)1280×1440RemarkThere be equipped the Silent generator, worden floors, lighting, computers, stereos, area other facilities with the body, and 220V external power connector outside10OptionalCan choose the stage, its size: 3000mm[10 | Emission standard | Euro IV | Transmission | 5 Forward Gear | |
| 4DW93-84E4FAW Car Co., Ltd. Wuxi Diesel Engine 254064Mobile LED truck spectration254064LED screen size (length x high)(mm)3840 x 1760Led side screen area ([])6.8Screen Lift Height [m)1.5LED screen's pixel pitch [mm]10Roller Screen Size [mm)3840 x 1460Rear monochrome screen size (length x high)(mm)1280×1440RemarkThere be equipped the Silent generator, wooden floors, lighting, ventilation fans, skylights, computers, stereos, amplifiers and other facilities with the body , and 220VOptionalCan choose the stage, its size: 360×3000 mm] | Driving cab | Luxury dashboard and seat wi | th air conditioning. | | |
| 4DW 95-04E4Factory234004Mobile LED truck specificationLED screen size (length x high)(mm)3840 x 1760Led side screen area ([])6.8Screen Lift Height [m)1.5LED screen's pixel pitch [mm)10Roller Screen Size [mm)3840 × 1460Rear monochrome screen size (length x high)(mm)1280 × 1440RemarkThere be equipped the Silent generator, wooden floors, lighting, ventilation fans, skylights, computers, stereos, amplifiers and other facilities with the body , and 220V external power connector outside the body.OptionalCan choose the stage, its size: $3600 × 3000$ mm[| Engine model | 5 | - | nt(ml) Power(KW) | |
| LED screen size (length x high)(mm)3840 x 1760Led side screen area ([])6.8Screen Lift Height (m)1.5LED screen's pixel pitch (mm)10Roller Screen Size (mm)3840×1460Rear monochrome screen size (length x high)(mm)1280×1440RemarkThere be equipped the Silent generator, wooden floors, lighting, ventilation fans, skylights, computers, stereos, amplifiers and other facilities within the body, and 220V external power connector outside the body.Optional | 4DW93-84E4 | | l Engine 2540 | 64 | |
| (length x high)(mm)3840 x 1760Led side screen area ([])6.8Screen Lift Height [m)1.5LED screen's pixel pitch [mm)10Roller Screen Size [mm)3840×1460Rear monochrome screen size (length x high)(mm)1280×1440RemarkThere be equipped the Silent generator, wooden floors, lighting, ventilation fans, skylights, computers, stereos, amplifiers and other facilities within the body , and 220V external power connector outside the body.0ptionalCoptionalCan choose the stage, its size: 3600×3000mm[10 | Mobile LED truck specification | | | | |
| ImplementImplementRoller Screen Size (mm)3840×1460Rear monochrome screen size (length x high)(mm)1280×1440RemarkThere be equipped the Silent generator, wooden floors, lighting, ventilation fans, skylights, computers, stereos, amplifiers and other facilities within the body , and 220V external power connector outside the body.0ptionalOptionalCan choose the stage, its size: 3600×3000mm[| | 3840 x 1760 | Led side screen area ([]) | 6.8 | |
| Imm3840×1460size (length x high)(mm)1280×1440ImmThere be equipped the Silent generator, wooden floors, lighting, ventilation fans, skylights, computers, stereos, amplifiers and other facilities within the body , and 220V external power connector outside the body.OptionalCan choose the stage, its size: 3600×3000mm[| []m) | 1.5 | []mm) | 10 | |
| Remarkskylights, computers, stereos, amplifiers and other facilities within the body , and 220V external power connector outside the body.OptionalCan choose the stage, its size: 3600×3000mm[| | 3840×1460 | | 1980~1440 | |
| | Remark | skylights, computers, stereos, amplifiers and other facilities within the body , and 220V | | | |
| []The Main Features of LED truck[] | • | 3 | 00×3000mm[] | | |
| | | | | | |

1. This truck is a special vehicle for advertising, generally used for the product promotion, brand promotion, draft activities , live shows sales, sporting events, vocal concerts, concerts and so on!

2. Can be showing at any time, communication, interaction, publicity coverage extensively. And meanwhile effectively get the best of advertising effect,,

3. According to own requirement. you can select the left and right sides and the back medium(include LED full color, Monochrome LED, Light box advertising), Led full colour screen can be chose P10, P8, P7, P6,P5,P4.

Image as below:















