No.	Item	Unit	Specification/Parameter
1	Truck Name		Mobile food truck
2	Drive type		4x2
3	Steering Wheel		Left hand drive
4		mm	4880x1800x2600
5	_	mm	2800x1750x1780
6		kg	2550
7	ŭ	kg	1550
8	Number of axles	ng	2
9		mm	3070
10	Max speed	Km/h	115
11	Chassis model	K111/11	BJ1036V5JV5-D1
12	Chassis brand		Foton
13			
	Chassis manufacturer		Foton Motor Co.Ltd.
14	Engine model		LJ469Q-1AE9
15	Engine manufacturer	1.0	Liuzhou Wuling Liuji Power Co.,Ltd
16	Displacement / Power	ml/kw	1249 / 64
17	Emission Standard		Euro V
18	Fuel Type		Gasoline
19	Tire specification / No.		175R14LT 8PR / 4
20	Transmission		5 forward gears and 1reverse
21	Front Axle /Rear Axle	Т	Ŭ .
22	Cab		Single row, left steering wheel
23		men	2
24	Configuration Instructions		
25	Optional Configuration :	Internal compartments equipment can be customized according to user's requirements such as generator/freezer/cold drink machine/stand booth/cooker, etc.; the left and right sides of the compartments body can choose different structure forms of side panel: the selling windows can be also chosen on any side of the the truck body according to customer demand, the bottom board can be unfolded to extend the cargo area in vending operations; the glass sliding window can be also chosen on both side of the compartments body. The back door of the compartment can choose single open door, double flat open door or lift-up door. Both compartments' sides and the back door can be optional advertising glass roller light box or LED screen. Truck roof can choose overhead air conditioning, baggage holder, left and right sides can choose sunshade, the tail can choose crawling ladder.	

Product pictures as below:









