

16000liters vacuum suction truck			
Vehicle Parameters			
General	Vehicle Model	CLW5250GXWE55162GXWT5	
	Vehicle Brand	CLW	
	Chassis Brand	<u>Dongfeng</u>	
	Overall Dimension(mm)	9490×2500×3850	
	GVW/Curb/Rated loading Weight(kg)	25000/13005/11800	
Chassis Parameters			
Cab	Cab Seat	2	
	Air Conditioner	No	
Engine	Fuel Type	diesel	
	<u>Engie Model</u>	B210-33	
	Engine Brand	<u>Dongfeng Cummins</u>	
	Power(hp)	210	
	Displacement(cc)	4350+1300	
	<u>Emmission Standard</u>	Euro3	
Chassis	Drive Type	6*4	
	Transmission	8 speed, Manual	
	Wheelbase(mm)	4500	
	Tyre Specification	10.00-20	
	Tyre No.(<u>pcs</u>)	10	
	Max Speed(km/h)	90	
	Paint	Blue and White	
Sewage Tank Structure Parameters			
Tank Volume	16000liters	Tank Material	Carbon steel
Tank Thickness	4mm	Vacuum pump	XD-420
Pump speed	133L/S	Suction pipe	6m
Standard configuration	Chassis, sub frame,sewage tank, manhole, vacuum pump,liquid indicator,outlet valve(by gravity),hand-washing device,6m suction pipe,si de supporting rod,oil-water separator,anti-overflow valve,hydraulic cylinder for both side for tank lifting, tank back door can be hydraulically opened		



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com













Whatsapp & Telephone: +86-18607222773 Email: brenda@cicwtruck.com





Whatsapp & Telephone: +86-18607222773 Email: brenda@cclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@ciclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com