No.	Item	Unit	Specification
1	Vehicle Name		JHW5030XSHB5 Mobile Food Truck
2	Driving type		4 x 2
3	Streeing type		LHD
4	Overall Dimension	mm	4880×1800×2600
5	Cabinet inner size	mm	2800*1750*1780
6	Gross Weight	kg	2550
7	Curb weight	kg	1550
8	Wheelbase	mm	3070
9	Max speed	Km/h	115
10	Chassis Model		BJ1036V5JV5-D1
11	Chassis Brand		Foton
12	Chassis Manufacturer		Beiqi Foton Motor Co. , Ltd.
13	Engine Model		LJ469Q-1AE9
14	Engine Manufacturer		Liuzhou Wuling Liji Power Co., Ltd
15	Displacement / Power	ml/kw	1249 / 64 (87HP)
16	Transmission		5 forward gears, 1 reverse gear
16	Emission Standard		Euro V
17	Fuel Type		Gasoline
18	Tire specification / No.		175R14LT 8PR / 4
	Standard configuration: The internal and outside of the compartments is made of cold-rolled steel sheet material and the floor made of skidproof, waterproof and wear-resistant aluminum checkered plate; The top of the compartments is closed and can not open, but the		

19 left and right side and the back can be expanded and there is vending bar on both 19 left and right side. The internal compartments is installed with LED vending floodlights or two columns spotlight (5pcs / column), top exhaust fan, megaphone, master switch, USB interface, large space locker; The outside of the compartments is installed two loudspeakers, 105A battery, **220V external power supply** interface , 15m external power supply cord, telescopic truck pedal; different truck color and skin stickers are optional .

Foton Mobile Street Food Truck / Mobile Kitchen











