Especificação técnica:

Especificação tecifica:		
Item	Unidade	Especificação
Nome do Produto		CSC5060JGKJ16 Alta altitude caminhão
Modelo de chassi		JX1060TSG24
Peso bruto	kg	5835
Peso do meio -fio		5510
Dimensão global	milímetros	$7600 \times 2000 \times 3050$
distância entre eixos		3360
Abordagem/partida ângulo	o	27/14
Modelo de motor		JX493ZLQ4
Motor fabricante		Jiangling Motors Corporation, Ltd.
Transmissão		5 engrenagens
Cabine		Táxi duplo, ar O condicionamento pode ser equipado se o cliente precisar.
Padrão de emissão		Euro IV
Deslocamento / potência	ML/KW	2771 /80
Pneu Especificação / número	PCs	7.00R16LT / 6
velocidade máxima	km/h	90
Max trabalhando altura	m	12
carregar	kg	200
Classificado como tripulado plataforma	homem	2
Ângulo de sobrecarga∏ esquerda∏Certo)	o	360
Tipo de estabilização / Q'ty		H-Type, 4 pcs
Observação	O caminhão inteiro é operado através da operação hidráulica superior e inferior, equipada com gancho.	

JMC 12 metros de alta altitude caminhão caminhão de plataforma aérea para venda Imagem do Produto:




















RELATED PRODUCTS



CONCRETE MIXER TRUCKS



ROAD SWEEPER TRUCKS



WATER TANK TRUCKS



FIE FIGHTING TRUCKS



GARBAGE TRUCK



ROAD MAINTENANCE VEHICLES



CATERING TRUCKS



AERIAL WORK TRUCKS



REFUELLING TRUCKS

HAZARDOUS TRANSPORT VEHICLES

CLEANING VEHICLE

REFRIGERATED TRUCKS



EMERGENCY POWER SUPPLY VEHICLES



ADVERTISING VEHICLES



HAZARDOUS TRANSPORT VEHICLES

OTHER SPECIAL VEHICLES

