

Função:

Tanque de petróleo (também chamado de tanque de transferência de combustível, arco de combustível, caminhão de tanque de óleo, caminhão de petróleo, tanque de óleo para caminhão, bowser a diesel, tanque diesel, tanque de combustível de gasolina, caminhão de dispensação de combustível) é usado para transportar óleo, diesel, gasolina, querosenene, etc.

Pode ser dividido em muitos compartimentos para transportar diferentes tipos de combustíveis, lubrificante, petróleo bruto, álcool

Bomba de óleo equipada, com bomba na função de bomba.

Características:

---- FORLAND CHASSIS, Performance perfeito.

---- motor quanchai, super poderoso; Desempenho confiável, sem revisão dentro de 100.000 km.

---- Bom forma, estrutura racional.

---- Bomba de combustível super poderosa, altamente eficiente, com a função da bomba na bomba.

---- Vida de serviço enorme, durável e longa.

Especificação:

Palavras -chave semelhantes: Tanque de transferência de combustível Isuzu, caminhão de entrega de combustível Iveco, tanque de armazenamento de óleo combustível, caminhão de transporte de óleo, petroleiro de petróleo, caminhão de petróleo a diesel, arco de combustível a gasolina, caminhão de reabastecimento

1	Product name		ISUZU 6000L refueling truck
2	Drive type		4x2
3	steering wheel		Left hand drive
4	Tank volume	M ³ (L)	6
5	Overall size	mm	6180×2080×2700
6	Gross weight	kg	8280
7	Rated payload	kg	3935
8	Curb weight	kg	4150
9	Axle		2
10	Wheelbase	mm	3360
11	Max speed	Km/h	80
12	Chassis model		QL1070A5HAY
13	Chassis brand		ISUZU
14	Chassis manufacturer		<u>Qingling Auto motor Co.,Ltd</u>
15	Engine Model		4KH1CN5HS
16	Engine manufacturer		<u>QinglingISUZU(chongqing)engine</u> co.,ltd
17	Displacement/Power	ml/kw	2999/96KW/ 130HP
18	Emission		Euro 5
19	fuel type		Diesel
20	Tyre specification / Tyre number		7.00R16 / 6
21	Tank material and thickness		Q235 carbon steel, tank thickness 4.2mm,head thickness 4.5mm
22	oil pump		Yes
23	refueling machine		Large flow tanker ,with one refueling gun
24	automatic return oil pipe		15 M

25	European Standard opening		1 piece
26	sea valve		1 piece
27	<p>Usage: A. with multiple baffle plates in the tank,the tank has the advantages of high intensity, stability, transporting safety etc</p> <p>B. Oil pump is installed to suck or discharge oil, with high suction pressure and speed</p> <p>C. Computer refueling machine is selected, with a 15 meters automatic return oil pipe and refueling gun, achieving mobile refueling <u>function</u></p> <p>D. According to user's needs, the tank can be designed as a simple compartment or several compartments to contain different oils</p>		

Imagens de referência:









Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com




REFUELING TRUCK

Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com







Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com