

Somos fabricantes profissionais de caminhões especiais, fornecendo diferentes tipos de caminhões, podem ser personalizados como requisitos do cliente.

(1).Capacidade do caminhão de combustível: 3-30cbm, 3-30m<sup>3</sup> caminhão-tanque de combustível, 31-60m<sup>3</sup> Tanque de tanque de combustível trailer semi-trailer

(2).VOLHO: Tanto a direção esquerda e direita, atende às necessidades de diferentes países.

(3).Padrão de emissão: Opção EURO 1, EURO 2, EURO 3, EURO 4, EURO 5  
FUEL TRIMENTO

(4).Chassi de caminhão: opção Isuzu, Howo, Jac, Dongfeng, Foton etc

O caminhão de tanque de combustível também é chamado de caminhão de combustível, caminhão de óleo, caminhão -tanque de combustível, caminhão -tanque de petróleo, caminhão de combustível móvel, caminhão de reabastecimento, caminhão de tanque de refil, etc.

| Complete Vehicle Parameter   |                                                                                                                                                                   |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Vehicle                      | HOWO fuel tanker truck                                                                                                                                            |
| Overall dimensions (mm)      | 7990 x 2500 x 2900                                                                                                                                                |
| Fuel tanker                  | 10000                                                                                                                                                             |
| GVW (kg)                     | Appro × 14845                                                                                                                                                     |
| Curb weight (kg)             | Appro × 6650                                                                                                                                                      |
| Loading weight (kg)          | Appro × 8000                                                                                                                                                      |
| Wheel base (mm)              | 4200                                                                                                                                                              |
| Max speed (Km/h)             | 80                                                                                                                                                                |
| HOWO Truck Chassis Parameter |                                                                                                                                                                   |
| Cabin                        | One and half cabin, a sleeper, power steering, air conditioner, 3 passengers                                                                                      |
| Traction system              | 4×2                                                                                                                                                               |
| Engine                       | Brand : CUMMINS<br>Model : ISF3.8s3168<br>Engine power : 168hp<br>Type : diesel, 4 cylinder, turbocharged.<br>Displacement : 3760ml<br>Emission standard : Euro 3 |
| Transmission                 | 6 forward, 1 reverse , manual operated                                                                                                                            |
| Tire model                   | 8.25R20                                                                                                                                                           |
| No. of tires                 | 6+1 pcs                                                                                                                                                           |
| Fuel Tanker Parameter        |                                                                                                                                                                   |

|                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Characteristic | <ol style="list-style-type: none"> <li>1) 10000 liter fuel tanker.</li> <li>2) Fuel tanker material is carbon steel.</li> <li>3) Fuel tank thickness 4.75mm,tank head thickness 5.1mm.</li> <li>4) One compartment fuel tank.</li> <li>5) One set refuel equipment.</li> <li>6) Equipped with oil pump, PTO.</li> <li>7) Equipped with European standard manhole.</li> <li>8) Equipped with aluminum alloy emergency cut off valve.</li> <li>9) Connection method: the left and right sides and the lower part of the protection are welded.</li> <li>10) Tool box.</li> </ol> |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## 1. Imagem abaixo:







Whatsapp & Telephone: +86-18607222773 Email: [brenda@clclwtruck.com](mailto:brenda@clclwtruck.com)



Whatsapp & Telephone: +86-1860722773 Email: [brenda@clclwtruck.com](mailto:brenda@clclwtruck.com)