

## **DFAC 6-10T морозильная холодильная комната холодильная комната.**

Спецификация/параметр

- 1 название грузовика: холодильник грузовик
- 2 Тип диска: 4x2
- 3 рулевого колеса: левый ручной привод
- 4 Общее измерение мм: 6995x2285x3250
- 5 шкафа внутреннего размера мм: 5000x2050x2100
- 6 валовой вес кг: 8275
- 7 Случай вес кг: 4580
- 8 Количество оси: 2
- 9 колесная база ММ: 3800
- 10 максимальная скорость км/ч: 103
- 11 модель шасси: EQ1080SJ8BDC
- 12 бренд шасси: DFAC
- 13 Производитель шасси: Dongfeng Motor Co., Ltd.
- 14 Модель двигателя: CY4SK251
- 15 Производитель двигателя: Dongfeng Chaoyang Diesel Co., Ltd
- 16 смещение/мощность мл/кВт: 3856 мл/115 кВт
- 17 Стандарт выбросов: евро V
- 18 Тип топлива: дизельное топливо
- 19 Спецификация шин: 7.50R16
- 20 Трансмиссия: 6 передней передачи и 1 обратная передача
- 21 Передняя ось /Задняя ось Т: 2,2Т /4.2Т
- 22 кабина: однократный ряд, кабину можно повернуть вперед, с рулевым управлением.
- 23 сиденья такси мужчины: 3
- 24 криогенная температура Степень Цельсия от -5 до -18 градусов

**Картинки продукта, как ниже**





Whatsapp & Telephone: +86-18607222773 Email: [brenda@clwtruck.com](mailto:brenda@clwtruck.com)





Whatsapp & Telephone: +86-18607222773 Email: [brenda@clcwtruck.com](mailto:brenda@clcwtruck.com)









Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: [brenda@clcwtruck.com](mailto:brenda@clcwtruck.com)

### 01 NUMERICAL CONTROL INSTRUMENTS

All the instruments are the numerical control synchronous motor controlled



### AIR CONDITIONER

02

with double sleepers , air conditioner, with large storage warehouse.  $-5^{\circ}\text{C}$ — $15^{\circ}\text{C}$  optional

### 03 CAPACITY CLASSIS OPTIONAL

Capacity: 0.5-30 ton refrigerator truck  
Steering wheel Emission standard  
Truck chassis



### FLOATING SUSPENSION

04

All the trucks are four-point support fully floating suspension+shock absorbers with transverse

# Choice what you need



Standard(clean)



Guide rail of bottom Aluminum steel of bottom



Ventilating slot(bottom)



304 Stainless skin



Ventilating slot(side)



Groove ventilating shot



Guide rail of meat hook



Goods shelf





Separate box




Mobile sparate hard board



Mobile sparate soft board



## Optional Spare Parts



# BATCH DEPARTURE

WELCOME TO OUR COUNTRY

