

Technical Specifications

Main Specifications			
Model	XZJ5250JSQJ4		
Rated Capacity (kg)	24550	Configuration	6 x 4
Max. Lifting Height (m)	9620.9820	Max. Lifting Speed (m/min)	3
Max. Reach (m)	14800.14600	Max. Lifting Capacity (kg)	12000 × 2495 × 3780
Max. Lifting Angle / Max. Lifting Speed (°)	21/11	Max. Lifting Capacity (kg)	8000.7750 × 2300 × 600
Max. Lifting Speed (m/min)	3	Max. Lifting Capacity (kg)	1400/3450
Max. Lifting Capacity (kg)	6550/18000	Max. Lifting Capacity (kg)	5800 + 1350
Max. Lifting Capacity (km / h)	90		
Detailed Specifications			
Model	CA5250JSQP63K1L5T1E4	Configuration	
Manufacturer	China Faw Group Corp.	Max. Lifting Height (m)	10
Max. Lifting Height (m)	21 / 12, 21 / 11	Max. Lifting Speed (m/min)	11.00R20
Max. Lifting Angle / Max. Lifting Speed (°)	11/11	Max. Lifting Capacity (kg)	2493
Max. Lifting Capacity (kg)		Max. Lifting Capacity (kg)	2390/1847
Max. Lifting Capacity (kg)	IV	Max. Lifting Capacity (kg)	10
Max. Lifting Capacity (kg)	J6M, Max. Lifting Capacity (kg) 12000, Max. Lifting Capacity (kg) 12000, Max. Lifting Capacity (kg) 12000		
Max. Lifting Capacity (kg)	China Faw Group Corp	Max. Lifting Capacity (ML)	Max. Lifting Capacity (kw)
Max. Lifting Capacity (kg)	7146		180
Performance Specifications			
Model	SQZ300, SQZ200	Configuration	XCMG
Max. Lifting Height (m)		Max. Lifting Speed (m/min)	4400, 3500
Max. Lifting Capacity (kg)	12000.10000	Max. Lifting Capacity (kg)	13, 13
Max. Lifting Capacity (kg)	9.78, 9.75	Max. Lifting Capacity (kg)	Max. Lifting Capacity (kg) / Max. Lifting Capacity (kg)
Max. Lifting Capacity (M)	4	Max. Lifting Capacity (kg)	2/4
Additional Information			
PTO, STABILIZERS Type H, 360° Rotation, datalogger abs			

6x4 FAW 12000kg Hydraulic Folding Truck Mounted Crane

Technical Specifications





