

| General Technical Parameters |                   |                                                                                       |                                |  |
|------------------------------|-------------------|---------------------------------------------------------------------------------------|--------------------------------|--|
| Overall Dimension            |                   | 5995×2060×2950 (mm)                                                                   |                                |  |
| Gross Vehicle Weight         |                   | 4495(Kg)                                                                              |                                |  |
| Curb Weight                  |                   | 3255(Kg)                                                                              |                                |  |
| Chassis Specification        |                   |                                                                                       |                                |  |
| Chassis Brand                |                   | ISUZU                                                                                 |                                |  |
| Drive model                  |                   | 4*2                                                                                   |                                |  |
| Cabin                        |                   | Double, Left Hand Driving, with air conditional                                       |                                |  |
| Number of Passengers         |                   | 2-3                                                                                   |                                |  |
| Engine                       | Model             | 4-stroke direct injection , 6-cylinder in-line with water cooling, inter-cooling, EGR |                                |  |
|                              | Power             | 85KW/116HP                                                                            |                                |  |
|                              | Emission standard | EURO 6                                                                                |                                |  |
|                              | Displacement      | 2771(ml)                                                                              |                                |  |
|                              | Fuel type         | Diesel                                                                                |                                |  |
| Gearbox                      |                   | 5Forwards & 1Reverse                                                                  |                                |  |
| Brake System                 |                   | Air break                                                                             |                                |  |
| Wheel Base                   |                   | 3360mm                                                                                |                                |  |
| Front/Rear Axle Loading      |                   | 1500/3000(Kg)                                                                         |                                |  |
| Approach/Departure Angle     |                   | 23/12(°)                                                                              |                                |  |
| Overhang                     |                   | 1250/3545(mm)                                                                         |                                |  |
| Tire                         |                   | 7.00R16                                                                               |                                |  |
| Max Driving Speed            |                   | 90(km/h)                                                                              |                                |  |
| Upperstructure Specification |                   |                                                                                       |                                |  |
| Cargo Body                   | Dimension         |                                                                                       | 2770×1850×380(mm)              |  |
|                              | Material          |                                                                                       | Q235 carbon steel              |  |
|                              | Cargo Thickness   |                                                                                       | Side 1.5mm, Bottom 2.5mm       |  |
| Working System               | Boom Type         |                                                                                       | Straight 3-Arm telescopic boom |  |
|                              | Crane             | Crane Brand                                                                           | XCMG or SANY or CLW            |  |
|                              |                   | Range of Sprayer                                                                      | 30m                            |  |
|                              |                   | Max Lifting Moment                                                                    | 25(T.M)                        |  |
|                              |                   | Max Lifting Capacity                                                                  | 2000(kg)                       |  |

|                     |                                                                                           |                          |             |
|---------------------|-------------------------------------------------------------------------------------------|--------------------------|-------------|
|                     |                                                                                           | Max lifting height       | 12(m)       |
|                     |                                                                                           | Rotation angle           | 360(°)      |
|                     |                                                                                           | Installation space       | 1150(mm)    |
|                     |                                                                                           | Recommened power         | 30(kw)      |
|                     |                                                                                           | Maximum working pressure | 26(Mpa)     |
|                     |                                                                                           | Max Flow                 | 63(l/min)   |
|                     |                                                                                           | Crane weight             | 3800(kg)    |
|                     | Oil tank capacity                                                                         |                          | 160(L)      |
|                     | Leg                                                                                       | Leg type                 | H type      |
|                     |                                                                                           | Leg Span                 | 2.28-5.9(m) |
|                     | Hydraulic system                                                                          | Pressure                 | 18(M pa)    |
|                     |                                                                                           | Capacity                 | 70(l)       |
| Other Configuration | Control system in 2 side; diamond palt, yellow warning fire; 2.5T arm, etc.               |                          |             |
| Options             | Caution light, air condition, inlet valve, medicine tray, pneumatic valve, cylinder, etc. |                          |             |

□□□□□□□□□□□□□□





