

中国重汽集团青岛商用车有限公司

主要参数			
底盘型号	CSC5081TQZBP 牵引车底盘		
轴数	轴数 LHD 配置 RHD	驱动形式	4x2
轴距 (mm)	8495	牵引重量 (吨)	7480 × 2300 × 2490
轴荷 (mm)	5100	牵引重量 (吨)	3
牵引重量/轴荷 (°)	22/11	Hang 牵引重量/轴荷 (吨)	1120/2460
牵引重量	2	牵引重量 (吨)	3800
牵引重量 (mm)	3143/5352	牵引重量 (km/h)	95
主要配置			
牵引重量	BJ1089VEA-FB	牵引重量	Beiqi Foton Auto Co. , Ltd
牵引重量	牵引重量	牵引重量 (吨)	6725 × 2100 × 2280
牵引重量	8.25r16	牵引重量	6 牵引重量 1 (牵引重量)
牵引重量	9/11+7	牵引重量 (吨)	1685,1665
牵引重量	牵引重量	牵引重量 (吨)	1615
牵引重量	牵引重量 4	牵引重量	6 牵引重量 1 牵引重量
牵引重量	牵引重量 request.luxurious trim, 牵引重量, cab 牵引重量 tippable 牵引重量		
牵引重量		牵引重量 (ML)	牵引重量 (kw)
ISF3.8S4R154	Beiqi Foton Cummins Engine Co. , Ltd	3760	115 (156hp)
牵引重量			
牵引重量 (吨)	5600	牵引重量 (吨)	2300
牵引重量 牵引重量 (吨)	4 (4000kg)	牵引重量 (吨)	2 (2000kg)
牵引重量			
牵引重量 request.luxurious trim, 牵引重量 牵引重量 牵引重量			

Foton 4x2 4 TON TOW THOW TROCK 牵引重量

牵引重量



Whatsapp & Telephone: +86-18607222773 Email: brenda@clcwtruck.com







Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



basic equipment

warning light



hydraulic winch



tow wheeler



operating valves



real towing device



washing hand tank



New type flat bed .
has big friction
force will make
truck more safety .
and the flatbed
more lighter

Tilte angle flatbed truck



full sit ground flatbed truck

