

HLQ5045XXCB LED			
LED (mm.)	4495	LED (mm.)	4 x 2
LED (mm.)	4365,4300	LED (mm.)	5980 × 2035 × 3000
LED (mm.)	3360	LED (mm.)	2
LED / mm (°)	21/17	Hang LED/mm (mm.)	1120/1500
LED	1350/3145	LED (km/h)	90
BJ1049V9JD6-AA			
LED	BJ1049V9JD6-AA	Anhui Jianghuai Automobile Co., Ltd.	
LED	7.00R16	LED	2
LED	3+1/6+7,7/4+5	Front Track (mm.)	1530,1730
LED	IV	LED	5
ISF2.8S4117V	Foton Cummins Engine Co. Ltd.	2780	87
LED			
LED (mm.)	3840 x 1760	LED (mm.)	6.8
LED (m)	1.5	LED (mm.)	4
LED (mm.)	3840 × 1460	LED (mm.)	1280 × 1440
LED	LED (mm.) 3600 × 3000 mm.		
LED			
1. LED (mm.) 3600 × 3000 mm. 2. LED (mm.) 3600 × 3000 mm. 3. LED (mm.) 3600 × 3000 mm.			

Foton Brand P4, P5, P6



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com







