

SC1026DA5			
SC1026DA5		SC1026DA5	
SC1026DA5	1850	dimensions(mm)	4600 X 1760 X 620
Payload(Kg)	480	SC1026DA5 (SC1026DA5)	3000 x 1650 x 1780
SC1026DA5 (SC1026DA5)	1240	hang(mm)	480/1370
SC1026DA5 angle(°)	58/25	Wheelbase(mm)	2750
SC1026DA5	2	speed(Km/h)	98
Load(Kg) SC1026DA5	835/1015	SC1026DA5	5 SC1026DA5 1 SC1026DA5
SC1026DA5	SC1026DA5 SC1026DA5 SC1026DA5 SC1026DA5 SC1026DA5 Offered.Air SC1026DA5		
SC1026DA5			
SC1026DA5	SC1026DA5	SC1026DA5	4
SC1026DA5	SC1026DA5	SC1026DA5	SC1026DA5 Auto Co., ltd
SC1026DA5	165/70R13LT	SC1026DA5	SC1026DA5 5
SC1026DA5	SC1026DA5		
SC1026DA5	SC1026DA5 SC1026DA5	Displacement(ml)	Power(Kw)
JL466Q1	SC1026DA5 Auto Co., Ltd	1012	50.7(70HP)

SC1026DA5:







