

Vehicle brand	CLW	Chassis brand	SINO-TRUK HOWO
Overall dimensions	6300×2250×2650(mm)	Volume of tanker	5000L
Gross weight	6660(Kg)	Curb weight	2660(Kg)
Max load	4000(Kg)	Wheel base	3360mm)
Axle load	2200/3500	Tire	7.00R16/6 pcs
Engine	4DW93-84	Material of tank	3042B Stainless Steel
Emission standard	Euro III	Warranty	2 years
Special function	1. The milk tank is made up of three layers:outside layer(for physical protection),middle layer(thermal insulation),inner layer tank(for milk filling). 2.The thickness of thermal insulation layer is 80mm 3.The tank liner is made of high quality food grade stainless steel,and the inner tank has been fine polished. 4. Equipped with PIC cleaning devices. 5. With function of thermal insulation: medium temperature change≤1℃ during 24 hours. 6. The tank can be divided into several parts according to demand to load different materials.		
Flow Rate	30m3/h		
DN	60mm		
Speed	970rpm		
Inside Material	304		
Outside Material	Iron Steel		
List of spare parts required:			
Item no.	Description	Qty.	
1	Oil filter elements	6 each	
2	Fuel filter elements	6 "	
3	Belts	3 "	
4	Engine top overhaul gasket kit	1 "	
5	Fluid, brake and air hoses	1 "	
6	Cooling hoses	1 "	
7	Air cleaner elements	6 "	
8	Electrical fuel and lamps	1 "	
9	Brake cylinder and master cylinder repair kit	1 "	
10	Locking fuel tank cover	1 "	
11	Injector nozzle assembly	1 set	
12	Engine water pump repair kit	1 "	
13	Brake shoe lining for all wheels with rivets	1 set	
14	Extension light complete with its cord and socket	1 set	
15	Air pressure regulator and distributor repair kit	1 each	
16	Shock absorbers (F&R)	1 set each	



Whatsapp & Telephone: +86-18607227773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607227773 Email: brenda@clclwtruck.com





Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com





Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com