

Đoạn giới thiệu 42000liters nhôm nhiên liệu

Item	unit	parameter
Overall dimensions	mm	11900×2500×3750
Loading	kg	Appro×36000
GVW		Appro×42000
Curb Weight		Appro×7000
Wheel base	mm	4800+1310+1310
Rear track base		1840/1840/1840
Approach/departure angle	°	-/18
Tire specification	12.00R22.5 (12 <u>pcs</u>)	
Axle Brand	FUWA 13Ton Axle, top brand	
Number of axles	3 axles	
ABS	With ABS	
Brake system	Drum brake	
Suspension system	Mechanical suspension	
Landing Gear	28 ton single action leg	
Material of tank	Aluminum alloy 5182	
Thickness	Tank: 6mm Head: 6 mm Baffles: 5mm	
Volume	42000liters	
Compartment	2 compartments	
Function	transport Fuel, Oil, Diesel	
Manhole	European standard manholes, 6pcs	
<u>Subsea valve</u>	Smart <u>subsea valve</u>	
Loading	Top loading and bottom loading system	
Unloading valve	<u>Artesian mouth</u> , 6pcs	
Ladder	Top ladder with handrail, side ladder	
Tool Box	1 Standard tool box	
Traction Pin	50mm/90mm, <u>jost brand</u>	
Production cycle	25-30days	
Warranty	12 months, from the date of supply	

Hình ảnh tham khảo □



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@ciclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@ciclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com





Whatsapp & Telephone: +86-18607222773 Email: brenda@ciclwtruck.com