

# DFAC 5-6 Ton meat hook refrigerator truck

Main specification			
Product model and name		HLQ5060XLCE Refrigerator truck	
Gross weight(Kg)	6495	Drive type	4x2
Payload(Kg)	2500	Overall dimension(mm)	7100×2330×3380
Curb weight(Kg)	3800	Cab seats	3
Approach/departure angle(°)	24/14	Front/rear hang(mm)	1210/2090
Axle No.	2	Wheelbase(mm)	3800
Axle load(Kg)	2580/3915	Max speed(Km/h)	90
Chassis specification			
Chassis model	EQ1060TJ22D3	Manufacturer	Dongfeng Auto Co.,Ltd
Brand name	Dongfeng	Dimension(mm)	6815×2176×2300,2400
Tyre specification	7.50R16	Tyre No.	6
Steel spring number	8/10+7,11/9+7	Front track base(mm)	1750,1835
Fuel type	Diesel	Rear track base(mm)	586,1640
Emission standard	Euro 3	Transmission	5 forward gear,1 reverse gear
Cab	Single row, luxurious interiors and seats with power steering. Air condition is optional.		
Engine model	Engine manufacturer	Displacement(ml)	Power(Kw)
CY4102-E3C	Dongfeng Chaoyang Diesel Co.,Ltd	3856	91(124hp)
B140 33	Dongfeng Cummins Engine Co.,Ltd	3900	103(140hp)
Performance			
Van body size(mm)	4900×2100×2100	Load capacity(TON)	5
Lowest refrigeration temperature(°C)	-18 centigrade		
Feature and Application			
The refrigerator truck is the closed van truck that is used to transport the frozen or fresh goods. This truck is made up of vehicle chassis, Polyurethane insulation van, refrigeration unit and temperature recorder. It is commonly used to transport the frozen food, dairy products, vegetable and fruit and vaccine medicine etc. For the special requirements of trucks,such as the meat transportation, the meat hook, aluminum alloy guide rail and ventilation slots etc. parts can be chosen and installed.			

## Images



销专汽之都  
最好的汽车





销专汽之都  
最好的汽车



[www.chinaoceanauto.com](http://www.chinaoceanauto.com)



之都  
最好的汽车  
销专汽



[www.chinaoceanauto.com](http://www.chinaoceanauto.com)





之都  
销专汽  
最好的汽车





之都  
销专汽之  
最好的汽车



[www.chinaoceanauto.com](http://www.chinaoceanauto.com)